VYBE



TOO SEXY TO BE A CATAMARAN.
TOO CAPABLE TO BE ANYTHING ELSE.

Monohulls trade space for style. Catamarans trade style for space.
Both make you choose.

VYBE DOESN'T.

Twin asymmetric hulls. Standard marina berth. Two master cabins. 53 knots.
The presenceof a monohull, the volume and performance of a catamaran - the best of both worlds.

A new category. Built because the existing ones weren't enought.

Cantiere Del
VYBE

THE RANGE



VYBE 43 VYBE 54 VYBE 66 VYBE 77



43









THE FINISHES / INTERIORS
VYBE 43 LIGHT OPTION











THE FINISHES / INTERIORS
VYBE 43 DARK OPTION











TECNHICAL OVERVEW

HULL STRUCTURE

Vinylester infused composite sandwich construction
Carbon fiber reinforcements in key structural areas
Longitudinal and transverse framing for maximum rigidity

HULL DESIGN

Twin asymmetric deep V hulls
Triple steps to reduce hydrodynamic drag
Aerodynamically optimized tunnel for “air cushion” lift effect

---

STANDARD EQUIPMENT

Mase 6.5kVa generator
Dometic air conditioning (32,000 BTU)
Opacmare hydraulic gangway
Garmin premium navigation system
JL Audio sound system
Quick double bow thruster
Starlink satellite internet

STANDARD HARD TOP & INTERIOR STRUCTURE

Carbon fiber hardtop (infused)
Lightweight carbon infused flooring and partitions

SPECIFICATIONS

LENGTH OVERALL (L.O.A)	**12,67 m**
MAX. BEAM	**4 m**
DRAFT	**1 m**
FUEL CAPACITY	**1900 L**
FRESH WATER CAPACITY	**350 L**
BLACK WATER TANK CAPACITY	**112 L**
NUMBER OF PASSENGERS	**14 in B Category**
NAVAL ARCHITECT	**Adam Younger**
DESIGNER	**Abbasli Design**

ENGINE OPTIONS:

2 × VOLVO PENTA D4 480HP
ESTIMATED SPEED
46 KNOTS
AT LIGHT LOAD +/- 5%.

2 × MERCURY V12 600HP
ESTIMATED SPEED
53 KNOTS
AT LIGHT LOAD +/- 5%.




54











CEELING PANELS LEATHER
SILKY SUEDE LIGHT BEIGE
LEATHER
FOGLIZZO LUGANO IVORY GREY
MIRROR TV
BLACK GLASS
WOOD
ALPI SLATE
CARPET
RADICI MARINE - MONTECARLO
MARBLE
PALISSANDRO BLUETTE
FRAMES
BLACK SATINE
CABINETRY
FENIX 0718
Grigio Londra








MAIN DECK



LOWER DECK



TECNHICAL OVERVEW

HULL STRUCTURE

Vinylester infused composite sandwich construction
Carbon fiber reinforcements in key structural areas
Longitudinal and transverse framing for maximum rigidity

HULL DESIGN

Twin asymmetric deep V hulls
Triple steps to reduce hydrodynamic drag
Aerodynamically optimized tunnel for “air cushion” lift effect

STANDARD EQUIPMENT

Mase 6.5kVa generator
Dometic air conditioning (32,000 BTU)
Opacmare hydraulic gangway
Garmin premium navigation system
JL Audio sound system
Quick double bow thruster
Starlink satellite internet

STANDARD HARD TOP & INTERIOR STRUCTURE

Carbon fiber hardtop (infused)
Lightweight carbon infused flooring and partitions

SPECIFICATIONS

LENGTH OVERALL (L.O.A)	**12,67 m**
MAX. BEAM	**4 m**
DRAFT	**1 m**
FUEL CAPACITY	**1900 L**
FRESH WATER CAPACITY	**350 L**
BLACK WATER TANK CAPACITY	**112 L**
NUMBER OF PASSENGERS	**14 in B Category**
NAVAL ARCHITECT	**Adam Younger**
DESIGNER	**Abbasli Design**

ENGINE OPTIONS:

2 × VOLVO PENTA D4 480HP
ESTIMATED SPEED
46 KNOTS
AT LIGHT LOAD +/- 5%.

2 × MERCURY V12 600HP
ESTIMATED SPEED
53 KNOTS
AT LIGHT LOAD +/- 5%.













LEATHER
FOGLIZZO SUEDE COOL GREY
LEATHER
FOGLIZZO LUGANO IVORY GREY
MIRROR TV
FUME BRONZE
WOOD
ALPI SLATE
CEELING PANELS
LACQUER 1013 OYSTER WHITE
30 GLOSSY
CARPET
BOLON Artisan - Chalky
BRONZE
STRIPES
CABINETRY
FENIX 0718
Grigio Londra
WOOD
ALPI DARK GREY LATI
MARBLE
GREY TRAVERTINE
FRAMES
BLACK SATINE


CHANEL







TECNHICAL OVERVEW

HULL STRUCTURE

Vinylester infused composite sandwich construction
Carbon fiber reinforcements in key structural areas
Longitudinal and transverse framing for maximum rigidity

HULL DESIGN

Twin asymmetric deep V hulls
Triple steps to reduce hydrodynamic drag
Aerodynamically optimized tunnel for “air cushion” lift effect

STANDARD EQUIPMENT

Mase 6.5kVa generator
Dometic air conditioning (32,000 BTU)
Opacmare hydraulic gangway
Garmin premium navigation system
JL Audio sound system
Quick double bow thruster
Starlink satellite internet

STANDARD HARD TOP & INTERIOR STRUCTURE

Carbon fiber hardtop (infused)
Lightweight carbon infused flooring and partitions

SPECIFICATIONS

LENGTH OVERALL (L.O.A)	**12,67 m**
MAX. BEAM	**4 m**
DRAFT	**1 m**
FUEL CAPACITY	**1900 L**
FRESH WATER CAPACITY	**350 L**
BLACK WATER TANK CAPACITY	**112 L**
NUMBER OF PASSENGERS	**14 in B Category**
NAVAL ARCHITECT	**Adam Younger**
DESIGNER	**Abbasli Design**

ENGINE OPTIONS:

2 × VOLVO PENTA D4 480HP
ESTIMATED SPEED
46 KNOTS
AT LIGHT LOAD +/- 5%.

2 × MERCURY V12 600HP
ESTIMATED SPEED
53 KNOTS
AT LIGHT LOAD +/- 5%.